



# EU2U

## INTERIOR DOORS CATALOGUE



# CONTENTS

<b>STILE DOORS .....</b>	<b>6</b>
LAURENCJA .....	8
EPIDEMIUM .....	10
MAGNOLIA .....	12
IRYS .....	14
DAGLEZJA .....	16
FREZJA .....	18
BERBERYS .....	20
FLOKS .....	22
KAMELIA .....	24
FRAGI .....	26
 <b>PAINTED DOORS .....</b>	 <b>28</b>
TURAN .....	30
MILDA .....	32
BALDUR .....	34
SYLENA .....	36
 <b>BOARD DOORS .....</b>	 <b>38</b>
UNO PREMIUM .....	40
UNO LUX .....	42
BALDUR .....	44
ALTAMURA .....	46
LORIENT .....	48
SORANO .....	50
 <b>GRAF GLASS DOORS .....</b>	 <b>52</b>
 HARDWARE – HANDLES .....	 57
TECHNICAL INFORMATION .....	63
SLIDING DOOR SYSTEMS .....	69
DOUBLE DOORS .....	76
CONCEALED DOOR SYSTEMS .....	80
FRAMES .....	83




# veneers & laminates

COLOURS AVAILABLE FOR INTERIOR DOORS

## GREKO, FINISH



GOLDEN OAK GREKO



WHITE GREKO



ELM GREKO



GREY OAK GREKO



SANREMO GREKO



WALNUT GREKO



OAK GREKO




MEDIUM OAK GREKO



SONOMA GREKO



WHITE PINE GREKO



BRIGHT WHITE GREKO



WALNUT FINISH



ACACIA FINISH



BRIGHT ACACIA FINISH

## PREMIUM




WALNUT PREMIUM




GREY MAPLE PREMIUM




OAK PREMIUM



WHITE BARK PREMIUM



WHITE PREMIUM



CONCRETE PREMIUM



HORIZONTAL LARCH



GRAPHITE ASH PREMIUM



BLACK PREMIUM <sup>\*)</sup>

## CPL



OAK ST CPL




GREY OAK ST CPL




VENGE ST CPL



GREY PINE ST CPL



WHITE ST CPL



WHITE CPL 0.2 & 0.7  
(similar to RAL9003)



LIGHT GREY CPL 0.2 & 0.7  
(similar to RAL 7047)




ANTHRACITE CPL 0.2 & 0.7  
(similar to RAL 7022)



OAK CPL 0.2 & 0.7

## PAINTED UV




WHITE TITANIUM UV  
(similar to RAL 9003)

<sup>\*)</sup> available only in rebated and non-rebated adjustable door frames and in wall-mounted sliding systems.  
Products in versions with an 8 cm angle.

# STILE DOORS



Two types of stiles to choose from: MDF for Greko veneers or glued wood for Premium and CPL veneers.



Wide range of colors: up to 22 decors.



To choose from safe, tempered or glued glass.



Aesthetic frameless groove glazing, durable pin connection with a stable 35 mm or 22 mm crossbar.



Three types of ventilation to choose from: sleeves, gable vent or undercut.




You can choose a fixed, adjustable frame with a 6 cm or 8 cm band.



Available systems:



=




+



- 3 two-piece adjustable hinges
- classic door lock
- rebated door leaf



=



+



+





- 3 hidden hinges with 3D adjustment
- magnetic lock
- leaf flushed with the frame





# LAURENCJA



REBATED AND NON-REBATED INTERIOR STILE DOORS



LAURENCJA 1, WHITE PREMIUM Finish, Black VSG GLASS, Matt CUBE PREMIUM Handle



LAURENCJA 1



LAURENCJA 2



LAURENCJA 3



LAURENCJA 4



LAURENCJA 5



LAURENCJA 6

Presented model: LAURENCJA 1 in WHITE PREMIUM veneer with the black matt lever handle CUBE PREMIUM and black VSG 221 laminated glass



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- Timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with CPL or PREMIUM finish
- 35 mm thick, very wide rail





## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk or black VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)


"100" rebated and non-rebated door leaf

Milk or black VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### PREMIUM




### CPL



Glulam timber stile for  
PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface

# EPIEDIUM



REBATED AND NON-REBATED INTERIOR STILE DOORS



EPIEDIUM 4, GRAPHITE ASH ST CPL Finish, matte brushed chrome CUBE Handle

80 WIDTH



EPIEDIUM 1<sup>\*)</sup>



EPIEDIUM 2<sup>\*)</sup>



EPIEDIUM 3<sup>\*)</sup>




EPIEDIUM 4<sup>\*)</sup>



EPIEDIUM 5<sup>\*)</sup>

70 WIDTH



EPIEDIUM 1<sup>\*)</sup>



EPIEDIUM 2<sup>\*)</sup>



EPIEDIUM 3<sup>\*)</sup>



EPIEDIUM 4<sup>\*)</sup>



EPIEDIUM 5<sup>\*)</sup>

<sup>\*)</sup> The presented photos of EPIEDIUM doors concern only the width of the „80” and „70” door leaves. In the other widths, there are also significant differences in the proportions of the glass in relation to the vertical crossbars, which may affect the customer's choice of product.

For the other width options go to [www.erkado.pl](http://www.erkado.pl)



Presented model: EPIMEDIUM 1 in GRAPHITE ASH PREMIUM finish with matte brushed chrome CUBE Handle



## GREKO



## PREMIUM



## CPL



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish
- 22 mm thick, long narrow rail


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)
- Depending on the leaf width, the glazing widths differ. Check at [www.erkado.pl](http://www.erkado.pl)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)

"100" rebated and non-rebated door leaf

Milk VSG 221 laminated safety glass, plain on both sides


Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

<sup>1)</sup> Plain white finish imitating a painted surface



# MAGNOLIA



REBATED AND NON-REBATED INTERIOR STILE DOORS



MAGNOLIA 1, WALNUT GREKO Finish, DECO Handle



MAGNOLIA 1



MAGNOLIA 2



MAGNOLIA 3



MAGNOLIA 4



MAGNOLIA 5



MAGNOLIA 6



MAGNOLIA 7



MAGNOLIA 8

Presented model: MAGNOLIA 1 in WALNUT GREKO finish with DECO Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk or black VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)

"100" rebated and non-rebated door leaf

Milk or black VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### GREKO



### PREMIUM



### CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> White GREKO stiles, Walnut GREKO rails and panels

## REBATED AND NON-REBATED INTERIOR STILE DOORS



IRYS 1, WHITE PREMIUM Finish, black CUBE Handle



IRYS 1



IRYS 2



IRYS 3



IRYS 4



IRYS 5



IRYS 6



IRYS 7



IRYS 8

Presented model: IRYS 1 in WHITE PREMIUM finish with black CUBE Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish





## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)


"100" rebated and non-rebated door leaf

Milk VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### GREKO



### PREMIUM



### CPL




MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface

# DAGLEZJA



REBATED AND NON-REBATED INTERIOR STILE DOORS



DAGLEZJA 1, GREY OAK Finish, black matte square CUBE SLIM Handle




DAGLEZJA 1



DAGLEZJA 2



DAGLEZJA 3



DAGLEZJA 4



DAGLEZJA 5



DAGLEZJA 6



DAGLEZJA 7




DAGLEZJA 8




Presented model: DAGLEZJA 1 in GREY OAK GREKO finish with matte black chrome CUBE SLIM Handle



## GREKO



## PREMIUM



## CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish
- Very wide rail


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk or black VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)


"100" rebated and non-rebated door leaf

Milk or black VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

<sup>1)</sup> Plain white finish imitating a painted surface



## REBATED AND NON-REBATED INTERIOR STILE DOORS



FREZJA 5, GREY PINE ST CPL Finish, black matte CUBE SLIM Handle



FREZJA 1



FREZJA 2



FREZJA 3 <sup>2)</sup>



FREZJA 4



FREZJA 2



FREZJA 4



FREZJA 6



FREZJA 5



FREZJA 6



FREZJA 7 <sup>3)</sup>



FREZJA 8



FREZJA 8  
Ventilation door cut


<sup>2)</sup> FREZJA 3 & 8 – 8 mm thick glazing

<sup>3)</sup> FREZJA 7 – with a mirror only and a selected finish on the other side. AWERS obverse – the mirror fitted on the hinge side (shown on the photo)

Presented model: FREZJA 1 in GREY PINE ST CPL finish with black matte CUBE SLIM Handle



## GREKO



## PREMIUM



## CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 16 mm thick HDF board panels (also a 4 mm panel in FREZJA 2 & 6) in GREKO veneer, CPL or PREMIUM surfaces; FREZJA 7 is available with the mirror only


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass or a mirror fitted on one side (only Frezja 7) as standard, and custom-made milk or black VSG 221 laminated safety glass, plain on both sides (not in Frezja 7 & 8)
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)
- Fixed glazing widths: FREZJA 1 – 140 mm, FREZJA 5 – 70 mm

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces) <sup>2)</sup>

Round and square metal <sup>2)</sup>ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille <sup>2)</sup> (only for door leaf widths of 80, 90, 100)

"100" rebated and non-rebated door leaf

Milk or black VSG 221 laminated safety glass, plain on both sides


Metal hinge casings in the rebated door leaf (Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal (Not in FREZJA 8)


<sup>1)</sup> Plain white finish imitating a painted surface,

<sup>2)</sup> Not in FREZJA 8

<sup>3)</sup> Sliding systems do not include FREZJA 8



## REBATED AND NON-REBATED INTERIOR STILE DOORS



BERBERYS 1, GRAPHITE ASH PREMIUM Finish, TOPAZ INOX Handle



BERBERYS 1



BERBERYS 2



BERBERYS 3



BERBERYS 4



BERBERYS 5



BERBERYS 6



BERBERYS 7



BERBERYS 8



Presented model: BERBERYS 1 in GRAPHITE ASH PREMIUM finish with TOPAZ INOX Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish
- Brushed aluminium insert profiles




## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)

"100" rebated and non-rebated door leaf

Milk VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### GREKO



### PREMIUM



### CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface



## REBATED AND NON-REBATED INTERIOR STILE DOORS



FLOKS 8, OAK ST CPL Finish, matte brushed chrome CUBE Handle




FLOKS 1



FLOKS 2



FLOKS 3



FLOKS 4




FLOKS 5



FLOKS 6



FLOKS 7



FLOKS 8

Presented model: FLOKS 1 in OAK ST CPL finish with matte brushed chrome CUBE Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish
- Brushed aluminium insert profiles





## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk or black VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)


"100" rebated and non-rebated door leaf

Milk or black VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### GREKO



### PREMIUM



### CPL




MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface

# KAMELIA



REBATED AND NON-REBATED INTERIOR STILE DOORS



KAMELIA 1, GRAPHITE ASH ST CPL Finish, matte brushed chrome CUBE Handle



KAMELIA 1



KAMELIA 2



KAMELIA 3



KAMELIA 4



KAMELIA 5



KAMELIA 6



KAMELIA 7



KAMELIA 8

Presented model: KAMELIA 1 in GRAPHITE ASH PREMIUM finish with matte brushed chrome CUBE Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces
- 4mm thick HDF panels with GREKO, CPL or PREMIUM finish


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk or transparent tempered glass as standard, and custom-made milk VSG 221 laminated safety glass, plain on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Ventilation door cut

Plastic woodgrain ventilation sleeves (4 pieces)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Ventilation grille (only for door leaf widths of 80, 90, 100)

"100" rebated and non-rebated door leaf

Milk VSG 221 laminated safety glass, plain on both sides

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

### GREKO



### PREMIUM



### CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> White GREKO stiles, Walnut GREKO rails and panels



# FRAGI



REBATED INTERIOR STILE DOORS



FRAGI 16, WHITE ST CPL Finish, black matte CUBE Handle, black VSG glass



FRAGI 1



FRAGI 4  
DECORMAT



FRAGI 5  
TRANSPARENT



FRAGI 7  
DECORMAT GRAFIT



FRAGI 9



FRAGI 10



FRAGI 15  
Matte VSG/ESG



FRAGI 16  
Black VSG/ESG




Presented model: FRAGI 4 in WALNUT GREKO finish with DECO Handle



#### GREKO



#### PREMIUM



#### CPL



MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

## CONSTRUCTION

- Rebated door leaf made in STILE technology
- MDF board stiles covered with the GREKO veneer or timber stiles covered with thin HDF boards and with PREMIUM or CPL surfaces


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- A deadbolt lock, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- 8 mm tempered or tempered and VSG/ESG 441 laminated safety glass, milk or black, plain on both sides (in Fragi 15 & Fragi 16)
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA


Ventilation door cut

Metal hinge casings in the rebated door leaf  
(Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)


Note:

The photo shows only the „80“ width for the door. The proportion in the photo differ slightly for the other FRAGI 1 widths. For further details and photos go to our website: [www.erkado.pl](http://www.erkado.pl)

## STANDARD AWERS (OBSERVE) GLAZING



## MADE TO ORDER REWERS (REVERSE) GLAZING



**G** Plain side; **M** Ornamented matte side

<sup>1)</sup> Plain white finish imitating a painted surface


# PAINTED DOORS



Two types of filling to choose from: honeycomb or full plate.



Titanium white UV door surface. It is a modern technology of multiple painting and stiffening with UV varnish.



To choose from safe 8 mm - ESG or VSG , tempered or glued glass.



Possibility to make a ventilation undercut.



You can choose a fixed, adjustable frame with a 6 cm or 8 cm band.



Available systems:



=



+



- 3 two-piece adjustable hinges
- classic door lock
- rebated door leaf



=



+



+



- 3 hidden hinges with 3D adjustment
- magnetic lock
- leaf flushed with the frame



=



+




+



- 2 hidden hinges with 3D adjustment
- magnetic lock
- leaf flushed with frame



# TURAN



REBATED, NON-REBATED PAINTED DOORS



TURAN 4, Black matte CUBE Handle



TURAN 1



TURAN 2



TURAN 3



TURAN 4



TURAN 5

Presented model: TURAN 5 with black matte CUBE Handle



## CONSTRUCTION

- Rebated or non-rebated door leaf made in STILE technology
- Timber stiles covered with thin HDF boards and veneered and coated with UV resistant varnish
- 16 mm thick HDF panels, moulded and coated with UV resistant varnish

## FINISHING

- Door leaves and door frames coated with water-based UV hardened varnish for high resistance to adverse use conditions


## HARDWARE

- Rebated door leaves: three silver 2-pin hinges adjusted horizontally
- Non-rebated door leaves: three concealed hinges
- A deadbolt lock in a rebated door leaf and a key-locked magnetic catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- TURAN 1: 8 mm tempered glass or, charged extra, milk or black VSG441 laminated safety glass, plain on both sides

## MOULDING



## CHARGED EXTRA

Ventilation door cut




"100" rebated and non-rebated door leaf

Metal hinge casings in the rebated door leaf (Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

Milk or black VSG441 laminated safety glass, plain on both sides

## AVAILABLE SOLUTIONS




## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100



# MILDA



REBATED, NON-REBATED AND REVERSIVE PAINTED DOORS



MILDA 4, Black CUBE PREMIUM Handle



MILDA 1



MILDA 2



MILDA 3



MILDA 4



MILDA 5

Presented model: MILDA 2 with black CUBE PREMIUM Handle



## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards
- Honeycomb door filling or solid core filling made to order


## FINISHING

- Door leaves and door frames coated with water-based UV hardened varnish for high resistance to adverse use conditions
- Door leaf edge made in standard or non-rebated technology

## HARDWARE

- Three pin mortise hinges in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## MOULDING



WHITE TITANIUM UV

## CHARGED EXTRA

### Reversible door leaf

Solid core filling





Ventilation door cut

"100" rebated and non-rebated door leaf

Metal hinge casings in the rebated door leaf (Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal


## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

# BALDUR



REBATED, NON-REBATED AND REVERSIVE PAINTED DOORS



BALDUR 3, CUBE PREMIUM Handle



BALDUR 1



BALDUR 2



BALDUR 3



BALDUR 4



BALDUR 5






BALDUR 6

Presented model: BALDUR 1 with the CUBE PREMIUM lever handle and black VSG 221 laminated 221 glass




WHITE TITANIUM UV

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100



VSG/ESG laminated and tempered glass as standard, milk or black

## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards
- Honeycomb door filling or solid core filling made to order

## FINISHING

- Door leaves and door frames coated with water-based UV hardened varnish for high resistance to adverse use conditions
- Door leaf edge made in standard or non-rebated technology


## HARDWARE

- Three pin mortise hinges in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- **BALDUR 1, 3, 5: VSG/ESG 441 laminated and tempered glass as standard, milk or black, plain on both sides**
- Fixed glazing widths: BALDUR 1 – 50 mm, BALDUR 3, 5 – 210 mm

## MOULDING



## CHARGED EXTRA

### Reversible door leaf

Solid core filling

Ventilation door cut

"100" rebated and non-rebated door leaf

Metal hinge casings in the rebated door leaf (Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal (not in BALDUR 1, 3, 5)

## VENTILATION DOOR CUT




BALDUR 1



BALDUR 3

<sup>1)</sup> BALDUR 1, 3, 5 are not available in sliding systems or double doors

# SYLENA



REBATED, NON-REBATED AND REVERSIVE PAINTED DOORS



SYLENA 2, Black matte CUBE Handle



SYLENA 1



SYLENA 2



SYLENA 3



SYLENA 4



SYLENA 5



SYLENA 6



SYLENA 7



SYLENA 8



Presented model: SYLENA 7 with black matte CUBE Handle



## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards
- Honeycomb door filling or solid core filling made to order


## FINISHING

- Door leaves and door frames coated with water-based UV hardened varnish for high resistance to adverse use conditions
- Door leaf edge made in standard or non-rebated technology

## HARDWARE

- Three pin mortise hinges in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## MOULDING



## CHARGED EXTRA

### Reversible door leaf

Solid core filling

Ventilation door cut




"100" rebated and non-rebated door leaf

Metal hinge casings in the rebated door leaf (Finish selection: brushed nickel, patina, polished chrome, polished brass, white and black)

Drop down seal

WHITE TITANIUM UV

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

# BOARD DOORS



Two types of filling to choose from: honeycomb or full plate.



A wide range of door frame colors, up to 31 decors.



To choose from safe, tempered or glued glass.



Three types of ventilation to choose from: sleeves, gable vent or undercut.



You can choose a fixed, adjustable frame with a 6 cm or 8 cm band.



Available systems:



=




+



- 3 two-piece adjustable hinges
- classic door lock
- rebated door leaf



=



+



+



- 3 hidden hinges with 3D adjustment
- magnetic lock
- leaf flushed with the frame



=



+




+



- 2 hidden hinges with 3D adjustment
- magnetic lock
- leaf flushed with frame



# UNO PREMIUM



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



UNO PREMIUM, OAK PREMIUM Finish, round black matte LUNA PREMIUM Handle

Presented model: UNO PREMIUM in WALNUT PREMIUM finish with LINEA Handle



Presented model: UNO PREMIUM in OAK PREMIUM finish with CUBE Handle



Frameside view: non-rebated door, 8 cm architrave, frame joints at 90°







## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards
- Honeycomb door filling
- Solid core filling charged extra





## FINISHING

- HDF board in PREMIUM veneer
- Door leaf edge made in standard rebated or non-rebated technology
- The edge veneered with edging in the same colour as the door leaf plane or optionally in black plain edging (black edging with horizontal grain for the HORIZONTAL LARCH finish)

## HARDWARE

- Three pin mortise hinges in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## AVAILABLE SOLUTIONS



## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

### Reversible door leaf

Solid core filling

Door closer reinforcement

Door closer with scissor arm

Additional bottom rail (can be cut by customer to max 8 cm)

Round and square metal ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Plastic woodgrain ventilation sleeves (4 pieces)

Ventilation door cut or grille

"100" rebated and non-rebated door leaf

Drop down seal

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)

Stainless steel porthole: "chrome" polished or "satine" brushed; milk decormat glass, non-tinted glass; porthole ID 235 mm; OD 350 mm)

Black door leaf edge finish

## PREMIUM




WALNUT  
PREMIUM



GREY MAPLE  
PREMIUM



OAK  
PREMIUM



WHITE BARK  
PREMIUM




GRAPHITE ASH  
PREMIUM



CONCRETE  
PREMIUM



HORIZONTAL  
LARCH



WHITE  
PREMIUM<sup>1)</sup>

<sup>1)</sup> Plain white finish imitating a painted surface

## VARNISHING

TITANIUM WHITE UV

## EDGE FINISH TYPES



BLACK PLAIN  
DOOR LEAF EDGE  
FINISH  
(charged extra)




BLACK HORIZONTAL  
DOOR LEAF EDGE  
FINISH  
(charged extra)





# UNO LUX



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



UNO LUX, WALNUT GREKO Finish, TUPAI 2275 Q Handle




UNO LUX 3



UNO LUX 4



UNO LUX 7



UNO LUX 9

Presented model: UNA LUX 4 in WENGÉ ST CPL finish  
with TUPAI 2275 Q Handle



## FINISH



WALNUT FINISH

BRIGHT ACACIA FINISH

ACACIA FINISH

## GREKO



WALNUT GREKO

SANREMO GREKO

SONOMA GREKO

MEDIUM OAK GREKO

ELM GREKO

GOLDEN OAK GREKO

GREY OAK GREKO

WHITE PINE GREKO

WHITE GREKO <sup>(13)</sup>

BRIGHT WHITE GREKO <sup>(13)</sup>

OAK GREKO

## CPL



OAK ST CPL

GREY OAK ST CPL

VENGE ST CPL

GREY PINE ST CPL

WHITE ST CPL <sup>(1)</sup>


WHITE CPL 0.2 & 0.7

LIGHT GREY CPL 0.2 & 0.7

ANTHRACITE CPL 0.2 & 0.7

OAK CPL 0.2 & 0.7

## PREMIUM



WALNUT PREMIUM

GREY MAPLE PREMIUM

OAK PREMIUM

WHITE BARK PREMIUM


GRAPHITE ASH PREMIUM

CONCRETE PREMIUM

HORIZONTAL LARCH

WHITE PREMIUM <sup>(1)</sup>

## AVAILABLE SOLUTIONS



## EDGE FINISH TYPES



BLACK PLAIN DOOR  
LEAF EDGE FINISH



BLACK HORIZONTAL DOOR  
LEAF EDGE FINISH

## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- MDF stiles and rails covered with two HDF boards in GREKO and FINISH veneers
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards in CPL & PREMIUM veneers
- Honeycomb door filling or solid core filling made to order

## FINISHING

- Veneered HDF board
- Door leaf edge made in SOFT or STANDARD technology
- CPL 0.2 & 0.7 laminates available only in STANDARD edge which is veneered with the ABS edging in the same colour as the door leaf only or the standard black edging charged extra
- 8 mm wide aluminium profiles flush with the door leaf plane, on both leaf sides
- Reversible door leaf only in the STANDARD edge and in GREKO, PREMIUM and ST CPL finishes
- Edge (in STANDARD or non-rebated finish) veneered in edging in the same colour as the plane or optionally in plain black (black edging with horizontal grain for HORIZONTAL LARCH finish)

## HARDWARE

- Two pin mortise hinges or three hinges (in GREKO, PREMIUM) in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## AVAILABLE DOOR LEAF WIDTHS



## CHARGED EXTRA

Reversible door leaf (unavailable in CPL 0.2 & 0.7)

Solid core filling (price includes a third hinge used in the rebated door leaf as standard)

Door closer reinforcement

Door closer with scissor arm

Additional bottom rail (can be cut by customer to max 8 cm)

Metal round or square ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Plastic sleeves

Ventilation door cut or grille  
(No door cuts for UNO LUX 3 & 4 possible)

"100" rebated and non-rebated door leaf (price includes a third hinge used in the door leaf as standard)

Additional hinge in the rebated door leaf and used always as per Czech standard (not applicable to solid core leaf, GREKO finishes and "100" leaf)


Drop down seal

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)

Black door leaf edge finish

<sup>1)</sup> Plain white finish imitating a painted surface; <sup>2)</sup> Available in SOFT only, in the version where veneer is joined in the rebate; <sup>3)</sup> Available only in STANDARD

# BALDUR



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



BALDUR 3, HORIZONTAL LARCH Finish, TUPAI 2275 RT Handle



BALDUR 1



BALDUR 3

Presented model: BALDUR 1 in HORIZONTAL LARCH finish with brushed chrome TUPAI 2275 RT Hinge



## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards
- Honeycomb door filling or solid core filling made to order
- Not available for double doors and sliding systems

## FINISHING

- HDF board in PREMIUM or CPL veneer
- Leaf edge made in standard rebated or non-rebated technology in CPL 0.2 laminates, veneered with the ABS edging, and in the same colour as the leaf only or the standard black edging charged extra
- Reversible door leaf only in the STANDARD edge and in GREKO, PREMIUM and ST CPL finishes
- The edge veneered with edging in the same colour as the door leaf plane or optionally in black plain edging (black edging with horizontal grain for the HORIZONTAL LARCH finish) Edge in black veneer around the perimeter and next to the glazing.

## HARDWARE

- Two pin mortise hinges or three hinges (PREMIUM finish) in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- BALDUR 1, 3: 8 mm tempered milk glass or VSG/ESG 441 laminated and tempered glass as standard, milk or black, plain on both sides

## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

## CHARGED EXTRA

### Reversible door leaf

(Not available in CPL 0.2)

Solid core filling

Ventilation door cut

"100" rebated and non-rebated door leaf


Additional hinge in the rebated door leaf and used always as per Czech standard (not applicable to solid core leaf, PREMIUM finishes and "100" leaf)

Milk or black VSG/ESG 441 glazing

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)

Black door leaf edge finish

### PREMIUM



### CPL



## AVAILABLE SOLUTIONS



## EDGE FINISH TYPES



BLACK PLAIN DOOR LEAF EDGE FINISH



BLACK HORIZONTAL DOOR LEAF EDGE FINISH

## VENTILATION DOOR CUT



BALDUR 1




BALDUR 3

<sup>1)</sup> Plain white finish imitating a painted surface



# ALTAMURA



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



ALTAMURA 5, OAK ST CPL Finish, LINEA Handle



ALTAMURA 1



ALTAMURA 2




ALTAMURA 3



ALTAMURA 4



Middle panel



Grille panel



ALTAMURA 5




ALTAMURA 6



ALTAMURA 7



ALTAMURA 8



Bottom panel



## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- MDF stiles and rails covered with two HDF boards in GREKO and FINISH veneers
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards in CPL & PREMIUM veneers
- Honeycomb door filling or solid core filling made to order

## FINISHING

- Veneered HDF board
- Door leaf edge made in SOFT (FINISH & GREKO) or STANDARD (FINISH, GREKO, PREMIUM & CPL) technology
- CPL 0.2 & 0.7 laminates available only in STANDARD edge which is veneered with the ABS edging in the same colour as the door leaf only or the standard black edging charged extra
- Reversible door leaf only in the STANDARD edge and in GREKO, PREMIUM and ST CPL finishes
- Edge (in STANDARD or non-rebated finish) veneered in edging in the same colour as the plane or optionally in plain black (black edging with horizontal grain for HORIZONTAL LARCH finish)

## HARDWARE

- Two pin mortise hinges or three hinges (GREKO and PREMIUM finishes) in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- **Milk Decormat glass as standard**, transparent or, charged extra, milk VSG 221 safety glass, clear on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## CHARGED EXTRA

### Reversible door leaf

(Not available in CPL 0.2 & 0.7)

Solid core filling (price includes a third hinge used in the rebated door leaf as standard)

Door closer reinforcement

Door closer with scissor arm

Additional bottom rail (can be cut by customer to max 8 cm )

Ventilation door cut or grille

Metal round or square ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Plastic sleeves

"100" rebated and non-rebated door leaf (price includes a third hinge used in the door leaf as standard)

Milk VSG 221 laminated glass

Additional hinge in the rebated door leaf and used always as per Czech standard (not applicable to solid core leaf, GREKO & PREMIUM finishes and "100" leaf)


Drop down seal

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)

ALTAMURA 1: Stainless steel porthole: "chrome" polished or "satine" brushed; milk decormat glass, non-tinted glass; porthole ID: 235 mm; OD 350 mm)

Stainless steel panel (fitted on both sides in the rebated STANDARD door leaves only), height 300mm

Black door leaf edge finish




## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100


## GLAZING BEAD



## AVAILABLE SOLUTIONS



## EDGE FINISH TYPES



BLACK PLAIN DOOR LEAF EDGE FINISH




BLACK HORIZONTAL DOOR LEAF EDGE FINISH

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> Available in SOFT only, in the version where veneer is joined in the rebate

<sup>3)</sup> Available only in STANDARD

# LORIENT



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



LORIENT 1, GREY MAPLE PREMIUM Finish, TOPAZ INOX Handle



LORIENT 1



LORIENT 2



LORIENT 3



LORIENT 4



LORIENT 5



LORIENT 6



LORIENT 7



LORIENT 8



LORIENT 9



LORIENT 10



LORIENT 11



LORIENT 12

## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- MDF stiles and rails covered with two HDF boards in GREKO and FINISH veneers
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards in CPL & PREMIUM veneers
- Honeycomb door filling or solid core filling made to order

## FINISHING

- Veneered HDF board
- Door leaf edge made in SOFT or STANDARD technology.
- Reversible door leaf only in the STANDARD edge and in GREKO, PREMIUM and ST CPL finishes
- Edge (in STANDARD or non-rebated finish) veneered in edging in the same colour as the plane or optionally in plain black (black edging with horizontal grain for HORIZONTAL LARCH finish)

## HARDWARE

- Two pin mortise hinges or three hinges (GREKO & PREMIUM finishes) in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- **Milk Decormat glass as standard**, transparent or, charged extra, milk VSG 221 safety glass, clear on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## CHARGED EXTRA

### Reversible door leaf

Solid core filling (price includes a third hinge used in the rebated door leaf as standard)

Door closer reinforcement

Door closer with scissor arm

Additional bottom rail (can be cut by customer to max 8 cm )

Ventilation door cut or grille

Plastic sleeves

Metal round or square ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

"100" rebated and non-rebated door leaf (price includes a third hinge used in the door leaf as standard)


Milk VSG 221 laminated glass, plain on both sides

Additional hinge in the rebated door leaf and used always as per Czech standard (not applicable to solid core leaf, GREKO & PREMIUM finishes and "100" leaf)

Drop down seal

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)

Black door leaf edge finish




## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100


## GLAZING BEAD



## AVAILABLE SOLUTIONS



## EDGE FINISH TYPES



BLACK PLAIN DOOR LEAF EDGE FINISH




BLACK HORIZONTAL DOOR LEAF EDGE FINISH

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> Available in SOFT only, in the version where veneer is joined in the rebate

<sup>3)</sup> Available only in STANDARD

# SORANO



REBATED, NON-REBATED AND REVERSIVE INTERIOR DOORS



SORANO 1, WENGE ST CPL Finish, TOPAZ INOX Handle



SORANO 1



SORANO 2



SORANO 3



SORANO 4



SORANO 5



SORANO 6



SORANO 7



SORANO 8



SORANO 9



SORANO 10



SORANO 11



SORANO 12

## CONSTRUCTION

- Rebated, non-rebated or reverse door leaf
- MDF stiles and rails covered with two HDF boards in GREKO and FINISH veneers
- Timber stiles and upper rail and MDF bottom rail covered with two HDF boards in CPL & PREMIUM veneers
- Honeycomb door filling or solid core filling made to order

## FINISHING

- Door leaf edge made in SOFT or STANDARD technology.
- CPL 0.2 & 0.7 laminates available only in STANDARD edge which is veneered with the ABS edging in the same colour as the door leaf only or the standard black edging charged extra
- Reversible door leaf only in the STANDARD edge and in GREKO, PREMIUM and ST CPL finishes
- Edge (in STANDARD or non-rebated finish) veneered in edging in the same colour as the plane or optionally in plain black (black edging with horizontal grain for HORIZONTAL LARCH finish)

## HARDWARE

- Two pin mortise hinges or three hinges (GREKO & PREMIUM finishes) in a rebated door leaf
- Three concealed hinges in the non-rebated door leaf or two in the reverse door leaf
- A deadbolt lock in the rebated door leaf and a key-locked magnetic catch in the non-rebated and reversible door leaves, euro profile cylinder, economy lock w/ or w/o thumbturn

## GLAZING

- Milk Decormat glass as standard, transparent or, charged extra, milk VSG 221 safety glass, clear on both sides
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)

## CHARGED EXTRA

### Reversible door leaf

(Not available in CPL 0.2 & 0.7)

Solid core filling (price includes a third hinge used in the rebated door leaf as standard)

Door closer reinforcement

Door closer with scissor arm

Additional bottom rail (can be cut by customer to max 8 cm)

Ventilation door cut or grille

Metal round or square ventilation sleeves (4 pieces); brushed nickel or patina finish in white or black

Plastic sleeves

"100" rebated and non-rebated door leaf (price includes a third hinge used in the door leaf as standard)

Milk VSG 221 laminated glass




Additional hinge in the rebated door leaf and used always as per Czech standard (not applicable to solid core leaf, GREKO & PREMIUM finishes and "100" leaf)

Drop down seal

Metal hinge casings in the rebated door leaf (brushed nickel, patina, polished chrome, polished brass, white and black)











Black door leaf edge finish

### FINISH


WALNUT FINISH    BRIGHT ACACIA FINISH    ACACIA FINISH

### GREKO










WALNUT GREKO    SANREMO GREKO    SONOMA GREKO    MEDIUM OAK GREKO    ELM GREKO

GOLDEN OAK GREKO    GREY OAK GREKO    WHITE PINE GREKO    WHITE GREKO <sup>(13)</sup>    BRIGHT WHITE GREKO <sup>(13)</sup>



OAK GREKO








### CPL

OAK ST CPL    GREY OAK ST CPL    VENGE ST CPL    GREY PINE ST CPL    WHITE ST CPL <sup>(1)</sup>

WHITE CPL 0.2 & 0.7    LIGHT GREY CPL 0.2 & 0.7    ANTHRACITE CPL 0.2 & 0.7    OAK CPL 0.2 & 0.7

### PREMIUM

WALNUT PREMIUM    GREY MAPLE PREMIUM    OAK PREMIUM    WHITE BARK PREMIUM

CONCRETE PREMIUM    HORIZONTAL LARCH    WHITE PREMIUM <sup>(1)</sup>


## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100


## GLAZING BEAD



## AVAILABLE SOLUTIONS



## EDGE FINISH TYPES



BLACK PLAIN DOOR LEAF EDGE FINISH



BLACK HORIZONTAL DOOR LEAF EDGE FINISH

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> Available in SOFT only, in the version where veneer is joined in the rebate

<sup>3)</sup> Available only in STANDARD



# GLASS DOORS COUNT



Interesting design, 48 models to choose from.



Safe 8mm thick tempered or laminated glued sheets.



A wide range of door frame colors, up to 33 decors.



Possibility to make a ventilation undercut.



You can choose a fixed, adjustable frame with a 6 cm or 8 cm band.



Available systems:



=



+



+



- modern design
- 2 solid hinges
- handles and hinges made of stainless steel or painted black






# GRAF GLASS DOORS

INTERIOR GLASS DOORS



GRAF 1



GRAF 5



GRAF 6



GRAF 7



GRAF 8



GRAF 9



GRAF 11



GRAF 12



GRAF 16



GRAF 17



GRAF 18



GRAF 20



GRAF 22



GRAF 26



GRAF 27



GRAF 28



GRAF 29



GRAF 30



GRAF 31



GRAF 32



GRAF 33



GRAF 34



GRAF 35



GRAF 36



# GRAF GLASS DOORS

INTERIOR GLASS DOORS



GRAF 37



GRAF 38



GRAF 39



GRAF 40



GRAF 41



GRAF 42



GRAF 43



GRAF 44



GRAF 45



GRAF 46



GRAF 47



GRAF 48



GRAF 49



GRAF 50



GRAF 51



GRAF 52



GRAF 53



GRAF 54



GRAF 55




GRAF 56




GRAF 57



GRAF 58



GRAF 59



GRAF 60



## CONSTRUCTION

- 8 mm tempered glass, 8 mm body-tinted glass (GRAF 26 ) and 44.3 laminated glass (GRAF 27, 28, 29)
- REWERS reverse customisable side of the glazing (AWERS obverse glazing as standard)
- Milk glass with black or white painted decorative patterns

## FIXED AND ADJUSTABLE FRAMES

- For prices of fixed and adjustable frames for rebated doors go to pp. 148-150
- No electric strike possible
- 10 mm pin hinge for glass panes frames
- **ONLY REBATED FRAMES IN ALL AVAILABLE FINISHES, STEEL FRAMES AND THE WHITE PAINTED TITANIUM UV FRAME ARE AVAILABLE FOR GLASS GRAF DOORS**

NOTE: For the extended Glass Door Collection and a variety of available models go to our website: [www.erkado.pl](http://www.erkado.pl). You can also order the available models through the B2B panel.

See more at [www.erkado.pl](http://www.erkado.pl)



## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 (extra charge)

## CHARGED EXTRA

"90" Door leaf

Ventilation door cut

## METAL-BUD HARDWARE Stainless Steel

**Metal-Bud**

PRODUCENT KLAMEK

Available shapes: oval or rectangle



2A OVAL



3A OVAL



1A OVAL



4AZ OVAL EXTERNAL  
4AW OVAL INTERNAL



Oval HINGE



2B RECTANGLE



3B RECTANGLE



1B RECTANGLE



4BZ RECTANGLE EXTERNAL  
4BW RECTANGLE INTERNAL



Rectangle HINGE





# HARDWARE

## HANDLES FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames

### RUMBA handle with antibacterial coating with active silver ions

black matte



Black matte



### METAL-BUD LUNA PREMIUM Handle, SQUARE

Glossy chrome, brushed matte chrome, glossy brass, black matte

**Metal-Bud**

PRODUCENT KLAMEK



Glossy chrome



Brushed matte chrome



Glossy brass



Black matte



HANDLE CLASS  
**PREMIUM**

### METAL-BUD LUNA PREMIUM Handle, ROUND

Glossy chrome, brushed matte chrome, glossy brass, black matte

**Metal-Bud**

PRODUCENT KLAMEK



Glossy chrome



Brushed matte chrome



Glossy brass



Black matte



HANDLE CLASS  
**PREMIUM**

## HANDLES FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames

### METAL-BUD DECO Texture Handle

Glossy chrome, nickel satin

**Metal-Bud**

PRODUCENT KLAMEK



MEDIUM OAK GREKO



BLACK



WHITE GREKO



SONOMA GREKO



WALNUT GREKO



OAK GREKO



SANREMO GREKO

### METAL-BUD IBIZA Handle

Glossy chrome, nickel satin, graphite/chrome, white matte, black matte



Glossy chrome



Graphite/chrome



Nickel satin



White matte



Black matte

### METAL-BUD LINEA Handle Glossy chrome, nickel satin, graphite/chrome



Glossy chrome



Graphite/chrome



Nickel satin

### ESCUTCHEON Glossy chrome, nickel satin, graphite/chrome, white matte, black matte for DECO, IBIZA, LINEA



## HANDLES FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames

### METAL-BUD ERKADO Handles

**Metal-Bud**  
PRODUCENT KLAMEK

Stainless steel



SAPPHIRE INOX Handle



METRO INOX Handle



SQUARE PROXIMA INOX Handle



TOPAZ INOX Handle



ONYX INOX Handle



SQUARE NOVA INOX Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door



Round NOVA INOX Handle



JOWISZ INOX Handle



ROME INOX Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door

### METAL-BUD ERKADO Handle Black matte



Black matte TOPAZ Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door

### BARCELONA Handle

nickel velvet



Nickel velvet BARCELONA Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door

## HANDLES FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames

### ROUND METAL-BUD SYRIUSZ & BLANKA Handles

**Metal-Bud**

PRODUCENT KLAMEK

Black matte



ROUND BLANKA Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door



Black SYRIUSZ Handle



Escutcheon plate



Key escutcheon



Escutcheon for toilet door

### METAL-BUD CUBE Handle

Glossy chrome, brushed matte chrome, brushed matte nickel, black matte



Glossy chrome





Brushed matte chrome



Brushed matte nickel



Black matte



HANDLE CLASS  
**PREMIUM**

### METAL-BUD CUBE PREMIUM Handle

Glossy chrome, brushed matte chrome, brushed matte nickel, black matte

**Metal-Bud**

PRODUCENT KLAMEK



Glossy chrome





Brushed matte chrome



Brushed matte nickel



Black matte



HANDLE CLASS  
**PREMIUM**

## HANDLES FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames

### GAMET Handles brushed chrome, glossy chrome



MISTICO Handle  
Glossy chrome



MISTICO Handle  
Brushed nickel



Escutcheon for key and lock core  
Escutcheon for toilet door



ERBA Handle  
Brushed nickel



ERBA Handle  
Anique brass



Escutcheon for key and lock core  
Escutcheon for toilet door



CASCADA Handle  
Brushed nickel



CASCADA Handle  
Anique brass



Escutcheon for key and lock core  
Escutcheon for toilet door

## HANDLES ON A LONG ESCUTCHEON FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames  
(EXCLUDING BLANKA Handle). The handles on long excutcheon are not to be used for non-rebated doors

### METAL-BUD JOWISZ INOX Handles on long escutcheon

Stainless steel, economic

**Metal-Bud**

PRODUCENT KLAMEK



JOWISZ INOX Handle  
Key escutcheon



JOWISZ INOX Handle  
Escutcheon for toilet door



JOWISZ INOX Handle  
Escutcheon plate



JOWISZ INOX Handle  
Escutcheon, economy lock



## HANDLES ON A LONG ESCUTCHEON FOR BOARD, STILE DOORS

The handle not to be used for board door leaves with casing frames (EXCLUDING BLANKA Handle). The handles on long escutcheon are not to be used for non-rebated doors

### METAL-BUD ASTRA & BLANKA Handles

The BLANKA handle not to be used for board door leaves with casing frames

**Metal-Bud**

PRODUCENT KLAMEK

Nickel, patina, chrome/satin, black matte



ASTRA Handle  
Nickel, patina  
Key escutcheon



BLANKA Handle  
Chrome/satin  
Patina, black  
matte  
Key escutcheon



ASTRA nickel and BLANKA chrome/satin, patina, black matte  
Escutcheon for toilet door



ASTRA nickel and BLANKA chrome/satin, patina, black matte  
Escutcheon plate



ASTRA nickel and BLANKA chrome/satin, patina, black matte  
Escutcheon, economy lock

### METAL-BUD TOPAZ INOX Handle, long escutcheon, stainless steel



TOPAZ INOX Handle  
Key escutcheon



TOPAZ INOX Handle  
Escutcheon for toilet door



TOPAZ INOX Handle  
Escutcheon plate



TOPAZ INOX Handle  
Escutcheon, economy lock


## LOCK CORES



Lock core  
Nickel satin

LOCK CORE
Size
26/36
30/30

## HOW TO SELECT A LOCK CORE



Example of calculating the lock core size for the board and stile doors (40mm) with the escutcheon plate thickness of G = 7 mm

$$A/B = [C+G+3] / [D+G+3]$$

$$A/B = [15+7+3] / [25+7+3]$$

$$A/B = 25/35$$

Door type	Door leaf thickness	Proportion of lock setting in door (C/D)	Recommended lock core size (A/B)*
board, stile (rebated)	40 mm	15/25	26/36
board, stile (non-rebated)	40 mm	20/20	30/30


\* Recommended lock core size for the escutcheon thickness of 7 mm and play of 2 mm to 4 mm




# TECHNICAL INFORMATION

## DOOR OPENING DIRECTIONS


SINGLE DOORS  
LEFT HAND DOOR LEAF




SINGLE DOORS  
RIGHT HAND DOOR LEAF




## NON-REBATED, REBATED, REVERSIVE DOORS










## DOUBLE DOORS



## DOOR FRAME JOINTS



## HOW TO CALCULATE DOOR PRICE



## DOOR FACE FINISH TYPES

### FINISH

The Finish veneer is preimpregnated, which means printing and then coating with paint with required properties. Using the performance finishing coats adds to the surface's basic resistance.

### GREKO

The Greko veneer is also preimpregnated, which means printing and then coating with paint with required properties. Using the performance finishing coats adds to the surface's resistance and flexibility of the product. The paint's silicon content ensures the film resistance is enhanced.

The Greko veneer is manufactured on a high density Japanese base layer which is not resin coated. This makes the film ecological, healthy and safe for people and environment both in the production process and during use, as well as for disposal. No formaldehyde or other harmful ingredients is used.

Its distinctive patterns are what distinguishes the Greko film. The veneers bear striking resemblance to wood, as the high quality surface comes with a 3D natural wood effect.

### PREMIUM

The Premium veneer is a product based on Polypropylene (PP), a material of very high resistance to abrasion and scratching, plus top quality appearance. It adds a refined looks and individual character to the doors, as it imitates natural wood perfectly.

Not only does the Premium veneer attracts with its appearance but with its functionality, as it resists scratching better than average products and is fire-retardant and abrasion resistant.

These properties ensure the extended longevity and maintenance-free use of the PREMIUM range products even in most adverse conditions.

### ST CPL, CPL 0.2 & CPL 0.7

The CPL veneer is composed of a decorative layer impregnated in resins, and a base layer ensuring flexibility. Following the lamination process, the top resin layer is hardened for high resistance to scratching and abrasion. It is characterised by high resistance to impact, abrasion, scratching, heat and UV radiation

Thanks to using this type of material, the door can be installed in so-called "difficult" interiors [exposed to heat, moisture or extraordinary use]. Approx. laminate thickness: ST CPL – 0.15 mm, CPL 0.2 – 0.2 mm and CPL 0.7 – 0.7 mm. The CPL 0.7 laminate is used to cover only one leaf plane thanks to its unique hardness. The CPL 0.2 and CPL 0.7 laminated door leaves come with the leaf edge made of the so-called ABS, a highly durable PVC.

### UV PAINT

The door surface has several coats of the WHITE TITANIUM UV modern UV hardened varnish.

The flat surfaces are covered with a specialist base membrane in the first phase, and then coated twice with a top quality paint and hardened with UV.

The moulded surfaces cannot be covered with the membrane for technological reasons, so they are coated with three paint layers and hardened with UV.

The fully automatic coating process follows scanning to ensure ideal quality of the surface. Hardening the paint with the cutting-edge method involving UV light source ensures very high mechanical resistance.

## EDGE FINISH TYPES

### SOFT EDGE



The SOFT door leaf comes with a chamfered edges, which lends an aesthetic and modern look to it. The leaf is finished with a veneer of an improved resistance to scratching, which dramatically enhances its resistance during use.

The veneer in SOFT door leaves is joined in two places shown in the diagram (not applicable to the BRIGHT WHITE GREKO finish where the veneer is joined in the rebate).



### STANDARD EDGE




It involves covering the flat plane with the 0.15 mm ST CPL veneer, CPL 0.2, CPL 0.7 veneers, polypropylene PREMIUM veneer, GREKO veneer or FINISH film.

The door leaf made in STANDARD technology has unchamfered edges, which is where the face panel is joined with edging veneer, as shown in the diagram. The veneer in the CPL 0.2 and CPL 0.7 laminates is made of very durable PVC, the so-called ABS. The joining method of the veneer is also identical for the non-rebated doors and non-rebated sliding systems.



## STILE DOOR



Rebated door leaf



- A** MDF or timber stiles in PREMIUM veneer
- B** MDF rails




Solid 35 mm or 22 mm thick rail



Aesthetic tongue-and-groove glazing without bars


## BOARD DOOR



Rebated door leaf



HERSE SET leaf



SOFT & STANDARD leaf



NON-REBATED leaf

- A** MDF board; **B** Seal; **C** HDF panel; **D** Filling;
- E** MDF or timber stiles in Herse SET and UNO PREMIUM

## FILLING TYPES

Honeycomb



Solid core filling




MDF stile for GREKO veneer



Glulam timber stile for PREMIUM and CPL surfaces

Honeycomb and solid core filling in the board doors ONLY. For the board doors we add a third hinge as standard.


## GRAF GLASS PANEL



## BATHROOM TURN & RELEASE

outside (Z)

inside (W)



A Corridor B Bathroom C Wall

Bathroom lock – for turn and release locks, select:

a.) OUTSIDE lock – with the bathroom turn and release is fitted to the outside of the door (Z)

b.) INSIDE lock – with the bathroom turn and release is fitted to the inside of the door (W)

NOTE: Directions for the turn and release locks apply (R/L)

## STANDARD AWERS (OBVERSE) GLAZING




## MADE TO ORDER REWERS (REVERSE) GLAZING



M Plain side

G Ornamented matte side

## METAL CAPS FOR HINGES




Brushed nickel, patina, glossy chrome, glossy brass, white matte and black matte.

Cap sizes:

- ID 16 mm for HERSE SET, FORTECA and LEDA fire doors
- OD 15 mm for board and stile doors
- length 47 mm

## VENTILATION

Ventilation door cut not available in non-rebated door leaves for wall-mounted and pocket sliding doors.





## VENTILATION



Plastic sleeves for  
FINISH colour group.



Plastic woodgrain sleeves for STILE doors  
with GREKO, PREMIUM and CPL finishes.



Square and round metal sleeves.



Grilles


## CUTTING THE DOOR LEAVES

Cutting the door leaves to size by customer acc to Polish stand-ard, up to 50 mm, or up to 80 mm for the HERSE SET door leaves (unless pre-cut), as well as in the board door leaves, is possible if an additional lower strip has been fitted by the manufacturer.


[NOTE: cutting the door leaves to size by customer is not allowed for the FRAGI doors, double leaf and fire doors, non-rebated leaves for sliding systems, glass GRAF doors, FORTECA RC2 and FORTECA RC3 burglarproof doors, and stile doors acc to the Czech standard].

**The door leaf height made acc to the so-called Czech standard is lower than the Polish standard by 47 mm.**

## STANDARD AWERS (OBSERVE) GLAZING



## MADE TO ORDER REWERS (REVERSE) GLAZING



M Plain side

G Ornamented matte side

## GLAZING TRANSLUCENCY ILLUSTRATION:



GRAF 1  
tempered, paint coated glass



GRAF 12  
tem red, paint coated glass



GRAF 8  
decormat




GRAF 9  
transparent



GRAF 26  
dark grey




GRAF 29  
laminated glass



Milk tempered  
decormat glass



Transparent  
tempered glass




Black VSG



Milk VSG

## MILK and BLACK VSG 221, 331, 441 LAMINATED GLASS for STILE and board doors



## CLEANING, REVITALISATION & REGENERATION KIT FOR OTTIMO DOORS



2 x 250 ml

## ELECTRIC DOOR STRIKE

(Available for fixed and adjustable door frames for rebated doors, but unavailable for the door frames used with the GRAF glass panes and double leaf doors)



Types of electric door strikes:

- basic 12 V
- basic 24 V
- switch operated 12 V
- switch operated 24 V
- reverse 12 V
- reverse 24 V

BASIC - normally closed, and opened when voltage is fed.


SWITCH OPERATED - same operation as in the basic strike, but with an option to be switched off by moving the springbolt.

REVERSIVE - closed when voltage is fed, opened when not.

The reverse and switch operated electric door strikes unavailable for the fire doors.

## HARDWARE

### DEADBOLT LOCKS



LOCK PZ CENTRES:

1. For rebated door leaves, the PZ centre of the key operated deadbolt lock, toilet lock and core lock is 72 mm.


2. For non-rebated and reverse door leaves, the PZ centre of the magnetic lock is:

- 90 mm (key operated and toilet locks)
- 85 mm (core locks)

The toilet locks have a square-shaped bolt hole:

- acc to PL standard: 4 mm
- acc to CZ standard: 6 mm

## INSTALLATION OF DOWELS IN NON-REBATED DOOR FRAMES



- A** Drill holes for metal screws of min length 80 mm x  $\varnothing$ 6 mm
- B** Apart from caulking foam, mounting anchors are required when installing the door frame. Drill the holes for screws under the seal so that it hides them.

## NON-REBATED HARDWARE



Concealed hinge



Magnetic catch



Adjustable magnetic catch strike






Door leaf board with the frame



# SLIDING SYSTEM

## WALL-MOUNTED

### WALL-MOUNTED SLIDING DOOR SYSTEM:

SINGLE SP1Nz (with bolt keeper)	
SINGLE SP1Nb (w/o bolt keeper)	
DOUBLE SP2N	

Price includes:

Aluminium track with a cover profile and door stop in the colour of the door leaf and length:

- 210 cm for "100" leaves
- 200 cm for "90" leaves
- 180 cm for "80" leaves
- 150 cm for "70" "60" leaves

#### Available wall-mounted sliding system sets

- Track with a cover profile and door stop with seal (only SP1Nz & SP1Nb)
- Track with a cover profile and tunnel door frame (only for SP2N)
- Track with a cover profile and door stop + tunnel door frame (only SP1Nz & SP1Nb)
- Track with a cover profile and door stop with seal + tunnel door frame (only SP1Nz & SP1Nb)

### CHARGED EXTRA

Tunnel type adjustable door frame for the price of the adjustable door frame

Hook bolt lock with hardware  
Only for the single system

Oval or round pull handle; glossy chrome, brushed chrome, glossy brass, black matte; two pcs. of pull handles per set

Synchronisation  
Simultaneous opening and closing of the door leaves using only one leaf; only for SP2N

Soft closing damper  
Automatic leaf damping during the final closing phase  
Only for SP1Nz and SP1Nb

The non-rebated door leaf for wall-mounted sliding system cannot be cut to size.

The cover profile is neither laminated nor paint coated on the inside. Orders of the cover panel, door stop and 8 cm tunnel square in **BLACK PREMIUM** are available.

### ROUND & OVAL PULL HANDLES

Glossy chrome, brushed chrome, glossy brass, black matte



### HOOK BOLT KEY LOCKS

Glossy chrome, brushed chrome, glossy brass  
Black matte

Key only in silver




The hook bolt key lock comes with two pull handles to choose





# WALL-MOUNTED SLIDING DOOR SYSTEM

WITH DOOR OPENING HOUSING

SP1Nz or SP1Nb (left, Awers obverse version)



SP2N (Awers obverse version)



- A - Caulking foam
- C - Floor
- E - Spacer strip
- G - Glass plain side
- M - Glass matte side

- B - Wall
- D - Door stop
- F - Moulding for guide rail
- P - Floor guide rail

WALL-MOUNTED SLIDING DOOR SYSTEM WITH DOOR OPENING HOUSING

SINGLE LEAF DOOR

DOUBLE LEAF DOOR


		"60"	"70"	"80"	"90"	"100"	"60" x 2	"70" x 2	"80" x 2	"90" x 2	"100" x 2
S1	Door leaf width	644	744	844	944	1044	1288	1488	1688	1888	2088
S2	Opening width in the wall	688	788	888	988	1088	1288	1488	1688	1888	2088
S3	Frame outer width	648	748	848	948	1048	1248	1448	1648	1848	2048
S4	Frame opening width	604	704	804	904	1004	1204	1404	1604	1804	2004
S5	Frame cover width Architraves 6 cm / Architraves 8cm	746 / 786	846 / 886	946 / 986	1046 / 1086	1146 / 1186	1346 / 1386	1546 / 1586	1746 / 1786	1946 / 1986	2146 / NA
H1	Door leaf height	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
H2	Opening height in the wall	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060
H3	Frame outer height	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040
H4	Frame opening height	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018
H5	Frame cover height Architraves 6 cm / Architraves 8cm	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / NA





# WALL-MOUNTED SLIDING DOOR SYSTEM

W/O DOOR OPENING HOUSING

## SP1Nz or SP1Nb (left, Rewers reverse version)



## SP2N (Rewers reverse version)



- B** – Wall    **C** – Floor
- D** – Door stop    **E** – Spacer strips
- F** – Moulding for guide rail    **G** – Glass plain side
- P** – Floor guide rail    **M** – Glass matte side

## WALL-MOUNTED SLIDING DOOR SYSTEM W/O DOOR OPENING HOUSING

### SINGLE LEAF DOOR

### DOUBLE LEAF DOOR


		"60"	"70"	"80"	"90"	"100"	"60" x 2	"70" x 2	"80" x 2	"90" x 2	"100" x 2
<b>S1</b>	Door leaf width	644	744	844	944	1044	1288	1488	1688	1888	2088
<b>S2</b>	Opening width in the wall	602	702	802	902	1002	1202	1402	1602	1802	2002
<b>H1</b>	Door leaf height	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
<b>H2</b>	Opening height in the wall	2020	2020	2020	2020	2020	2020	2020	2020	2020	2020





# WALL-MOUNTED SLIDING DOOR SYSTEM

LOFT Type



LOFT DOOR LEAF, OAK ST CPL Finish, round pull handle

LOFT Type wall-mounted sliding door system is available in black and comes complete with the LOFT Type plain door leaf. The LOFT door leaf comes with the stabilising “honeycomb” filling as standard or solid core for extra charge. The door leaf features a non-rebated edge. The system is designed for clear finished opening, without a tunnel. The complete system includes the sliding LOFT system + LOFT door leaf + pull handle + door closer on one or both side(s).

## LOFT sliding door system

Oval or round pull handle, black matte


Solid core filling

Round and square metal ventilation sleeves (4 pieces); black matte

Door closer on one side

connector for tracks (enables the use of the LOFT system in the double-leaf system)

Black door leaf edge finish



		“60”	“70”	“80”	“90”	“100”
<b>S1</b>	Door leaf width	644	744	844	944	1044
<b>S2</b>	Opening width in the wall	574	674	774	874	974
<b>H1</b>	Door leaf height	2150	2150	2150	2150	2150
<b>H2</b>	Opening height in the wall	2082	2082	2082	2082	2082

**B** – Wall **C** – Floor



## PULL HANDLES ROUND AND OVAL

Black matte




## GUIDE RAIL LENGTHS:

- 200 cm for “60” “70” “80” leaves  
- 250 cm for “90” “100” leaves



BLACK PLAIN DOOR  
LEAF EDGE FINISH



BLACK HORIZONTAL DOOR  
LEAF EDGE FINISH

<sup>1)</sup> Plain white finish imitating a painted surface



# WALL-MOUNTED SLIDING DOOR SYSTEM


MAGIC Type



MAGIC DOOR LEAF, OAK PREMIUM Finish, oval pull handle

MAGIC Type wall-mounted sliding door system is available complete with the MAGIC Type plain door leaf only. The MAGIC door leaf comes with the stabilising “honeycomb” filling as standard or solid core for extra charge. The door leaf features a non-rebated edge. The system is designed for clear finished opening, without a tunnel.

The complete system includes the sliding MAGIC system + MAGIC door leaf + pull handle.



## MAGIC SLIDING DOOR SYSTEM

Oval or round pull handle

Solid core filling

Round and square metal ventilation sleeves (4 pieces); glossy chrome, brushed chrome, black matte

Black door leaf edge finish

## MAGIC WALL-MOUNTED SLIDING DOOR SYSTEM

		"60"	"70"	"80"	"90"	"100"
<b>S1</b>	Door leaf width	644	744	844	944	1044
<b>S2</b>	Opening width in the wall	584	684	784	884	984
<b>S3</b>	Frame opening width	464	564	664	764	864
<b>H1</b>	Door leaf height	2150	2150	2150	2150	2150
<b>H2</b>	Opening height in the wall	2100	2100	2100	2100	2100

## ROUND & OVAL METAL PULL HANDLES

Glossy chrome, brushed chrome, glossy brass, black matte

**B** – Wall **C** – Floor



BLACK PLAIN DOOR LEAF EDGE FINISH



BLACK HORIZONTAL DOOR LEAF EDGE FINISH



<sup>1)</sup> Plain white finish imitating a painted surface



# WALL-MOUNTED SLIDING DOOR SYSTEM

GRAF GLASS DOORS



GRAF 22 SYSTEM


Sliding system for glass doors with a silver anodised aluminium cover profile. This system is complete and designed for fitting in a clear finished opening, as the tunnel is not available. The system range includes all GRAF glass panes, see and go to our website: [www.erkado.pl](http://www.erkado.pl) and the B2B panel. The complete system includes: sliding SYSTEM GRAF + glass pane SYSTEM GRAF + pull handle + door closer on one side.

## GLASS DOOR SLIDING SYSTEM

Double-sided round pull handle, stainless steel

"90" glass pane extra charge

Door closer



WALL-MOUNTED GLASS DOOR SLIDING SYSTEM					
		"60"	"70"	"80"	"90"
<b>S1</b>	Door leaf width	662	762	862	962
<b>S2</b>	Opening width in the wall	602	702	802	902
<b>S3</b>	Guide rail length	1500	1500	1800	2000
<b>H1</b>	Door leaf height	2036			
<b>H2</b>	Opening height in the wall	max 2020			
<b>H3</b>	Overall system height	2114			

## PULL HANDLE

Stainless steel



**B** – Wall **C** – Floor **D** – Guide shoe









# DOUBLE LEAF DOOR

REBATED AND NON-REBATED

## USEFUL INFORMATION

### DOUBLE LEAF DOOR



- The double leaf door is supplied with a solid core filling for extra charge.
- The double leaf door is made according to available models of the board single leaf doors, STILE doors with respective features: colour, finish (STANDARD, SOFT), glazing etc.
- Double leaf doors are available in CPL 0.2 & CPL 0.7
- Inactive door uses pull latches.
- Under "60" width inactive door available in the full plain version only – side panel (see drawing below).
- Side panels are made in the STANDARD edge board technology. Available with the "honeycomb" filling as standard or solid core for extra charge. Grain direction of the side panels is vertical.
- Both active and inactive door leaves come with lippings.
- Lippings in CPL 0.7 door leaves are laminated with CPL 0.2
- The double leaf door in non-rebated technology is available with a magnetic lock only.
- Double non-rebated leaf doors come with an adjustable door frame only.
- Electric door strike is not available for the double door leaves.

## AVAILABLE DOOR LEAF WIDTHS

- Board and stile DOUBLE DOORS from "120" to "190"\*\*\* and mixes with full plain side panels

60 + 30*	70 + 30*	80 + 30*	90 + 30*	100 + 30*
60 + 40*	70 + 40*	80 + 40*	90 + 40*	100 + 40*
60 + 50*	70 + 50*	80 + 50*	90 + 50*	100 + 50*

\* Side panel available in standard technology only as a full plain version

\*\* For "180" non-rebated doors

## DOUBLE DOOR PRICE:

- Board and stile: active door leaf 60 70 80 90 100 + inactive door leaf 60 70 80 90\*

Price of double leaf door with lipping

=

Door leaf price x 2

+

Lippings

- Board and stile: active door leaf 60 70 80 90 100 + full plain inactive side panels 30 40 50

Price of double leaf door with side panel and lipping

=

Door leaf price

+

Full side panel with lippings

- Prices of fixed and adjustable door frames for double leaf doors + 30%
- Solid core in a side panel is extra charged
- Painted side panel only full plain WHITE TITANIUM UV – extra charged

\* not in the non-rebated door leaves







# DOUBLE LEAF DOOR

NON-REBATED

NON-REBATED DOUBLE LEAF DOOR  
WITH ADJUSTABLE DOOR FRAME



A- Caulking foam B- Wall C- Floor

Adjustable door frame		NON-REBATED DOUBLE DOORS									
		"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"
A+B	Door leaf width	988	1088	1188	1288	1388	1488	1588	1688	1788	1888
S1	Opening width in the wall	1061	1161	1261	1361	1461	1561	1661	1761	1861	1961
S2	Frame outer width	1021	1121	1221	1321	1421	1521	1621	1721	1821	1921
S3	Frame opening width	977	1077	1177	1277	1377	1477	1577	1677	1777	1877
S4	Frame cover width Architraves 6 cm / Architraves 8 cm	1119 / 1159	1219 / 1259	1319 / 1359	1419 / 1459	1519 / 1559	1619 / 1659	1719 / 1759	1819 / 1859	1919 / 1959	2019 / 2059
H1	Door leaf height	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
H2	Opening height in the wall	2073	2073	2073	2073	2073	2073	2073	2073	2073	2073
H3	Frame outer height	2053	2053	2053	2053	2053	2053	2053	2053	2053	2053
H4	Frame opening height	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031
H5	Frame cover height Architraves 6 cm / Architraves 8 cm	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122

DOUBLE LEAF DOORS  
- SYMMETRIC



DOUBLE LEAF DOORS  
- ASYMMETRIC



DOUBLE LEAF DOORS  
- WITH PLAIN SIDE PANEL







# DOUBLE LEAF DOOR

REBATED



## REBATED DOUBLE LEAF DOOR WITH ADJUSTABLE DOOR FRAME



A- Caulking foam B- Wall C- Floor

Adjustable door frame		DOUBLE LEAF DOOR										
		"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"
A + B	Door leaf width	988	1088	1188	1288	1388	1488	1588	1688	1788	1888	1988
S1	Opening width in the wall	1034	1134	1234	1334	1434	1534	1634	1734	1834	1934	2034
S2	Frame outer width	994	1094	1194	1294	1394	1494	1594	1694	1794	1894	1994
S3	Frame opening width	950	1050	1150	1250	1350	1450	1550	1650	1750	1850	1950
S4	Frame cover width	1092 /	1192 /	1292 /	1392 /	1492 /	1592 /	1692 /	1792 /	1892 /	1992 /	2092 /
	Architraves 6 cm /Architraves 8 cm	1132	1232	1332	1432	1532	1632	1732	1832	1932	2032	2132
H1	Door leaf height	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
H2	Opening height in the wall	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060
H3	Frame outer height	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040
H4	Frame opening height	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018
H5	Frame cover height	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /	2089 /
	Architraves 6 cm /Architraves 8 cm	2109	2109	2109	2109	2109	2109	2109	2109	2109	2109	2109


## REBATED DOUBLE LEAF DOOR WITH FIXED DOOR FRAME



A- Caulking foam B- Wall C- Floor

Fixed door frame		DOUBLE LEAF DOOR										
		"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"
A + B	Door leaf width	988	1088	1188	1288	1388	1488	1588	1688	1788	1888	1988
S1	Opening width in the wall	1068	1168	1268	1368	1468	1568	1668	1768	1,868	1968	2068
S2	Frame outer width	1038	1138	1238	1338	1438	1538	1638	1738	1838	1938	2038
S3	Frame opening width	950	1050	1150	1250	1350	1450	1550	1650	1750	1850	1950
H1	Door leaf height	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030	2030
H2	Opening height in the wall	2077	2077	2077	2077	2077	2077	2077	2077	2077	2077	2077
H3	Frame outer height	2062	2062	2062	2062	2062	2062	2062	2062	2062	2062	2062
H4	Frame opening height	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018





# CONCEALED DOOR SYSTEMS

INWARDS AND OUTWARDS OPENING



REBATED AND NON-REBATED DOOR LEAF

ALUMINIUM CONCEALED DOOR FRAME

## CONSTRUCTION

- Rebated or non-rebated door leaf
- Timber stile covered with two HDF boards
- Honeycomb door filling or solid core filling made to order

## FINISHING

- HDF board covered with PREMIUM veneer, UV paint or a veneer designed for subsequent paint coating or wallpapering
- Door leaf edge made in rebated or non-rebated technology

## HARDWARE

- Required two mortise hinges in the door frame
- A magnetic lock in a rebated door leaf and a key-locked catch in a non-rebated door leaf, euro profile cylinder, economy lock w/ or w/o thumbturn

## CHARGED EXTRA

White door frame <sup>3)</sup>

Painted door leaf; WHITE TITANIUM UV

Solid core filling

Additional bottom rail (can be cut by customer to max 8 cm )

Round and square metal ventilation sleeves (4 pieces);  
Finish: Brushed nickel, patina, white and black

Plastic woodgrain ventilation sleeves (4 pieces)

Ventilation door cut or grille

"100" Door leaf


Drop down seal



WALNUT  
PREMIUM



GREY MAPLE  
PREMIUM



OAK  
PREMIUM



WHITE BARK  
PREMIUM



GRAPHITE ASH  
PREMIUM



CONCRETE  
PREMIUM



HORIZONTAL  
LARCH



WHITE PREMI-  
UM <sup>1)</sup>



WHITE BASE <sup>2)</sup>



WHITE TITANI-  
UM UV

## AVAILABLE DOOR LEAF WIDTHS

60 70 80 90 100

<sup>1)</sup> Plain white finish imitating a painted surface

<sup>2)</sup> Used for wallpaper hanging and painting

<sup>3)</sup> Aluminium colour frame as standard




# CONCEALED DOOR SYSTEMS

INWARDS OPENING REBATED DOOR LEAF

## REBATED DOOR LEAF


## ALUMINIUM CONCEALED DOOR FRAME

### STANDARD DIMENSIONS FOR INWARDS OPENING REBATED DOOR LEAVES




Door leaf width	Construction opening width	Frame outer width	Clear opening width
Sd [mm]	So [mm]	Sz [mm]	Sp [mm]
620	724	714	629
720	824	814	729
820	924	914	829
920	1024	1014	929
1020	1124	1114	1029


Door leaf height	Construction opening height	Frame outer height	Clear opening height
Hd [mm]	Ho [mm]	Hz [mm]	Hp [mm]
2030	2079	2072	2030




### Gypsum board installation



### ALUMINIUM DOOR FRAME CROSS-SECTION



### ENCLOSED IN WALL








# CONCEALED DOOR SYSTEMS

OUTWARDS OPENING NON-REBATED DOOR LEAF

## NON-REBATED DOOR LEAF


## ALUMINIUM CONCEALED DOOR FRAME

### STANDARD DIMENSIONS FOR OUTWARDS OPENING NON-REBATED DOOR LEAVES




Door leaf width	Construction opening width	Frame outer width	Clear opening width
Sd [mm]	So [mm]	Sz [mm]	Sp [mm]
620	724	714	629
720	824	814	729
820	924	914	829
920	1024	1014	929
1020	1124	1114	1029


Door leaf height	Construction opening height	Frame outer height	Clear opening height
Hd [mm]	Ho [mm]	Hz [mm]	Hp [mm]
2020	2069	2062	2020




### Gypsum board installation




### ALUMINIUM DOOR FRAME CROSS-SECTION



### ENCLOSED IN WALL





# DOOR FRAMES

- The adjustable and fixed rebated door frames can be used for all types of ERKADO internal doors made in both board and STILE technologies.
- The adjustable non-rebated door frames can be used for internal doors made in both board and STILE technologies. These door frames are supplied with three concealed hinges.
- The door frame is made with high quality MDF board and covered with durable wood grain film or coated with durable UV paint.
- Depending on the technology, the door frames are veneered with: FINISH, GREKO, CPL, PREMIUM and UV paint.
- The frames for STILE doors have a third hinge as standard.
- Each adjustable and fixed frame comes complete with disassembled frame components, hinges and screws. The components are supplied with pre-drilled holes for fixing.
- Each set is enclosed with assembly manual and warranty certificate.
- The fixed door frame for Herse collection is rectangular and its core is made of gluelam timber.

**ADJUSTABLE DOOR FRAME  
REBATED DOOR LEAVES**



**ADJUSTABLE DOOR FRAME  
NON-REBATED DOOR LEAVES**




**SOFT FIXED DOOR FRAME  
REBATED DOOR LEAVES**




**STANDARD SQUARE FOR ADJUSTABLE  
DOOR FRAME**


Architraves 6 cm / Architraves 8 cm



**SQUARE WITH EXTENDED TONGUE  
FOR ADJUSTABLE DOOR FRAME**


Architraves 6 cm / Architraves 8 cm





	"60"	"70"	"80"	"90"	"100"
<b>A</b>	692	792	892	992	1092
<b>B</b>	604	704	804	904	1004


## ADJUSTABLE DOOR FRAME



	"60"	"70"	"80"	"90"	"100"
<b>A</b>	746 / 786	846 / 886	946 / 986	1046 / 1086	1146 / 1186
<b>B</b>	604	704	804	904	1004

Architraves 6cm / Architraves 8cm

## TUNNEL TYPE ADJUSTABLE DOOR FRAME




	"60"	"70"	"80"	"90"	"100"	"110"	"120"
<b>A</b>	746 / 786	846 / 886	946 / 986	1046 / 1086	1146 / 1186	1246 / 1286	1346 / 1386
<b>B</b>	604	704	804	904	1004	1104	1204

	"130"	"140"	"150"	"160"	"170"	"180"	"190"
<b>A</b>	1446 / 1486	1546 / 1586	1646 / 1686	1746 / 1786	1846 / 1886	1946 / 1986	2046 / 2086
<b>B</b>	1304	1404	1504	1604	1704	1804	1904

Architraves 6cm / Architraves 8cm

## FIXED DOOR FRAME FOR DOUBLE LEAF DOORS




	"90"	"100"	"110"	"120"	"130"	"140"
A	1038	1138	1238	1338	1438	1538
B	950	1050	1150	1250	1350	1450

	"150"	"160"	"170"	"180"	"190"
A	1638	1738	1838	1938	2038
B	1550	1650	1750	1850	1950

## ADJUSTABLE DOOR FRAME FOR DOUBLE LEAF DOORS




	"90"	"100"	"110"	"120"	"130"	"140"
A	1092/1132	1192/1232	1292/1332	1392/1432	1492/1532	1592/1632
B	950	1050	1150	1250	1350	1450

	"150"	"160"	"170"	"180"	"190"
A	1692/1732	1792/1832	1892/1932	1992/2032	2092/2132
B	1550	1650	1750	1850	1950

Architraves 6cm / Architraves 8cm


## FIXED DOOR FRAME FOR GLASS DOORS



	"60"	"70"	"80"	"90"
A	692	792	892	992
B	604	704	804	904

10 mm pin hinge for glass panes frames

## ADJUSTABLE DOOR FRAME FOR GLASS DOORS



	"60"	"70"	"80"	"90"
A	746/786	846/886	946/986	1046/1086
B	604	704	804	904

Architraves 6cm / Architraves 8cm



# TUNNEL TYPE ADJUSTABLE DOOR FRAME

REBATED / NON-REBATED

## TUNNEL TYPE DOOR FRAMES

The tunnel type door frames are adjustable door frames without any hardware. They are made with a top strip and two vertical strips.

They can be used to finish door openings and safeguard wall corners, but mainly are fitted for interior decoration effects.

The tunnel type adjustable rebated door frames are also used in the ERKADO sliding systems.

The tunnel type adjustable non-rebated door frames are not used in the sliding systems.

Depending on the system we use the following rebated tunnels:

TUNNEL FOR  
SP1N

Wall-mounted single sliding system

TUNNEL FOR  
SP2N

Wall-mounted double sliding system

ADJUSTABLE REBATED TUNNELS														
	"60"	"70"	"80"	"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	"190"
Opening width in the wall	688	788	888	988	1088	1188	1288	1388	1488	1588	1688	1788	1888	1988
Tunnel outer width	648	748	848	948	1048	1148	1248	1348	1448	1548	1648	1748	1848	1948
Tunnel opening width	604	704	804	904	1004	1104	1204	1304	1404	1504	1604	1704	1804	1904
Tunnel cover width Architraves 6 cm / Architraves 8 cm	746 / 786	846 / 886	946 / 986	1046 / 1086	1146 / 1186	1246 / 1286	1346 / 1386	1446 / 1486	1546 / 1586	1646 / 1686	1746 / 1786	1846 / 1886	1946 / 1986	2046 / 2086
Opening height in the wall	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060	2060
Tunnel outer height	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040	2040
Tunnel opening height	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018	2018
Tunnel cover height Architraves 6 cm / Architraves 8 cm	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109	2089 / 2109




ADJUSTABLE NON-REBATED TUNNELS														
	"60"	"70"	"80"	"90"	"100"	"110"	"120"	"130"	"140"	"150"	"160"	"170"	"180"	
Opening width in the wall	713	813	913	1013	1113	1213	1313	1413	1513	1613	1713	1813	1913	
Tunnel outer width	673	773	873	973	1073	1173	1273	1373	1473	1573	1673	1773	1873	
Tunnel opening width	629	729	829	929	1029	1129	1229	1329	1429	1529	1629	1729	1829	
Tunnel cover width Architraves 6 cm / Architraves 8 cm	771 / 811	871 / 911	971 / 1011	1071 / 1111	1171 / 1211	1271 / 1311	1371 / 1411	1471 / 1511	1571 / 1611	1671 / 1711	1771 / 1811	1871 / 1911	1971 / 2011	
Opening height in the wall	2073	2073	2073	2073	2073	2073	2073	2073	2073	2073	2073	2073	2073	
Tunnel outer height	2053	2053	2053	2053	2053	2053	2053	2053	2053	2053	2053	2053	2053	
Tunnel opening height	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031	2031	
Tunnel cover height Architraves 6 cm / Architraves 8 cm	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	2102 / 2122	





# REVERSIVE DOOR FRAME

## REVERSIVE DOOR LEAVES




<sup>1)</sup> allowable deviation due to frame dimensional tolerance of  $\pm 3\text{mm}$   
(we recommend to check before installation)

Door Width	A	B	C	D	E	F	G
"60"	624	644	652	696	736	834	791
"70"	724	744	752	796	836	934	891
"80"	824	844	852	896	936	1034	991
"90"	924	944	952	996	1036	1134	1091
"100"	1024	1044	1052	1096	1136	1234	1191

**A** Caulking foam **B** Wall **C** Floor **D** Rubber seal

## ADJUSTMENT RANGE FOR REVERSIVE DOOR FRAME



Adjustment range min-max (mm)	
1 Component	75-95
	95-115
	115-135
	135-155
2 Components	155-175
	175-195
	195-215
	215-235
3 Components	235-255
	255-275
	275-295
	295-315
4 Components	315-335
	335-355

- The frame for reversible door leaves is available only with an 8 cm square joined at 45 degrees.
- Available finishes within the colour group: GREKO, PREMIUM, CPL and WHITE TITANIUM UV paint
- 120 mm widening segment for reversible veneered door frames – extra charged
- Adjustable square with 2 cm extended tongue and standard square for adjustable door frames available in all veneers – extra charged
- The door frame above 255 mm is composed of two parts




# ADJUSTABLE DOOR FRAME

NON-REBATED DOOR LEAVES


## ADJUSTABLE DOOR FRAME RANGE 80-95mm

Architraves 6 cm / Architraves 8 cm




The square tongue is to be cut by customer to required size, for door frames within 80-95mm range

## DOOR FRAME JOINTS



## ADJUSTABLE DOOR FRAME DIAGRAM




Door Width	A	B	C	D	E	F
"60"	644	629	651	673	714	771*/811**
"70"	744	729	751	773	814	871*/911**
"80"	844	829	851	873	914	971*/1011**
"90"	944	929	951	973	1014	1071*/1111**
"100"	1044	1029	1051	1073	1114	1171*/1211**


\* Architraves 6 cm / \*\* Architraves 8 cm

## ADJUSTABLE DOOR FRAME RANGE

Architraves 6 cm / Architraves 8 cm



	Adjustment range min-max (mm)
1 Component	80-95
	95-115
	115-135
	135-155
	155-175
2 Components	175-195
	195-215
	215-235
	235-255
	255-275
	275-295
	295-315
	315-335
	335-355
	355-375
	375-395
	395-415



<sup>1)</sup> allowable deviation due to frame dimensional tolerance of +/- 3mm (we recommend to check before installation)

**A** Caulking foam **B** Wall **C** Floor **D** Rubber seal


- Adjustable non-rebated frame in CPL 0.2 is also used in the set for the leaves in CPL 0.7
- BLACK PREMIUM veneer aialable on the 8 cm architraves only.
- Joints at 90 degrees possible for door frames with the 8 cm architraves only.  
Joints at 90° charged extra
- The door frame above 295 mm is composed of two parts
- Prices of adjustable door frames for double leaf doors + 30%
- 120 mm widening segment for non-rebated veneered door frames – extra charged
- Adjustable square with 2 cm extended tongue and standard square for adjustable door frames available in all veneers – extra charged – for 6 cm architraves and 8 cm architraves
- Tunnel type door frame for widths of 60, 70, 80, 90, 100 are at the price of the adjustable rebated door frame (see Table p. 150)
- Tunnel type door frame for widths of 110, 120, 130, 140, 150, 160, 170, 180, 190 are at the price of the adjustable door frame for rebated double leaf doors (see Table p. 150)




# FIXED DOOR FRAME

REBATED DOOR LEAVES

## SOFT FIXED DOOR FRAME



## CLIP-ON SQUARE 8 cm (8 pcs. of clips supplied)





## COVER PROFILE



## QUARTER ROUND



## SOFT FIXED DOOR FRAME DIAGRAM



## ELECTRIC DOOR STRIKE

<sup>1)</sup> allowable deviation due to frame dimensional tolerance of  $\pm 3\text{mm}$   
(we recommend to check before installation)

## BASE TRIM length 2.40 lin.m.



Door Width	A	B	C	D	E
"60"	644	618	604	692	722
"70"	744	718	704	792	822
"80"	844	818	804	892	922
"90"	944	918	904	992	1022
"100"	1044	1018	1004	1092	1122

**A** Caulking foam **B** Wall **C** Floor **D** Rubber seal

- The base trip is made of moisture resistant MDF board. Available variants: WHITE TITANIUM UV paint, veneers: GREKO, ST CPL, PREMIUM and in base veneer to be paint coated.
- Fitting method: bonding to wall

- Fixed door frame for double leaf doors + 30%
- Non-rebated fixed door frame – NA
- The fixed frame, architrave and clip-on square in CPL 0.2 are also used in the set for door leaves in CPL 0.7



# ADJUSTABLE DOOR FRAME

REBATED DOOR LEAVES




ADJUSTABLE DOOR FRAME  
ABOVE 280 mm


Adjustable door frame above 280 mm is composed of two parts (not within the 260-300mm range), and above 400 mm – three parts (they are not of equal size).

## ADJUSTABLE DOOR FRAME RANGE


Architraves 6 cm / Architraves 8 cm



## DOOR FRAME JOINTS




Architraves  
8 cm




Architraves  
6 cm or 8 cm

## ADJUSTABLE DOOR FRAME DIAGRAM



Door Width	A	B	C	D	E	F	G
"60"	644	618	604	626	648	688	746*/786**
"70"	744	718	704	726	748	788	846*/886**
"80"	844	818	804	826	848	888	946*/986**
"90"	944	918	904	926	948	988	1046*/1086**
"100"	1044	1018	1004	1026	1048	1088	1146*/1186**

\* Architraves 6 cm / \*\* Architraves 8 cm



<sup>1)</sup> allowable deviation due to frame dimensional tolerance of  $\pm 3$ mm  
(we recommend to check before installation)

**A** Caulking foam **B** Wall **C** Floor **D** Rubber seal

Adjustment range min-max (mm)	
1 Component	80-100
	100-120
	120-140
	140-160
	160-180
	180-200
	200-220
2 Components	220-240
	240-260
	260-280
	260-300
	280-300
	300-320
	320-340
3 Components	340-360
	360-380
	380-400
	400-420

- Adjustable rebated frame in CPL 0.2 is also used in the set for the door leaves in CPL 0.7
- BLACK PREMIUM veneer available on the 8 cm architraves only.
- Joints at 90 degrees possible for door frames with the 8 cm architraves only.  
Joints at 90° charged extra
- Electric door strike – extra charged
- Door closer reinforcement – extra charged
- Prices of fixed and adjustable door frames for double leaf doors + **30 %**
- Adjustable square with 2 cm extended tongue and standard square for adjustable door frames available in all veneers as well as CPL 0.2 and painted– extra charged – for 6 cm architraves and 8 cm architraves
- 120 mm widening segment for veneered adjustable door frames and CPL 0.2 and paint coated – extra charged
- Bespoke door frames for the range of 500-520 mm – charged extra at 2 cm increments
- Tunnel type door frame for both rebated and non-rebated door widths of 60, 70, 80, 90, 100 are at the price of the rebated adjustable door frames.
- Tunnel type door frame for both rebated and non-rebated door widths of 110, 120, 130, 140, 150, 160, 170, 180, 190 are at the price of the adjustable door frame for rebated double leaf doors



The warranty certificate and assembly manual are attached with products.

This Product Guide is for reference only, and shows current prices and product availability.


The manufacturer reserves the right to modify prices and product availability without prior notice. Actual colours in colour charts can differ from these indicated in this Product Guide. Please consult the colours with original colour charts available at our dealer centres.

The photos in the Product Guide are for reference only and dimensional proportions of some components can occur for different door leaf widths.

We reserve the right to printing mistakes.

The Product Guide is not an offer in legal terms and is published only for reference.

The door should be selected on the basis of a basic design of a facility, prepared considering all applicable standards and provisions of law, as well as frequency and conditions of use. We offer several variants, but leave the final choice to the Buyer, because only the Buyer or their representatives knows the purpose and conditions of use for the product to be ordered.



**EU2U**